

Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue: 21.04.2004 Supersedes edition of 31.10.2000

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO

25 Tests Spectroquant®

Blindwertküvette

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company: Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 (0)6151/72-0

Emergency telephone No.: +49 (0)6151/72112 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

Aqueous buffer solution.

3. Hazards identification

No hazardous product as specified in Directive 67/548/EEC.

4. First aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing. After eye contact: rinse out with plenty of water with the eyelid held wide open. After swallowing: make victim drink plenty of water. Consult doctor if feeling unwell.

5. Fire-fighting measures

Suitable extinguishing media:

In adaption to materials stored in the immediate neighbourhood.

Special risks:

Non-combustible.

6. Accidental release measures

Person-related precautionary measures:

Do not inhale vapours/aerosols.

Procedures for cleaning / absorption:

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101505). Forward for disposal Clean up affected area

101595). Forward for disposal. Clean up affected area.

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® Blindwertküvette

7. Handling and storage

Handling:

No further requirements.

Storage:

Tightly closed. At $+15^{\circ}$ C to $+25^{\circ}$ C.

The data apply to the entire pack.

8. Exposure controls/personal protection

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection: required when vapours/aerosols are generated.

Eye protection: required

Hand protection: In full contact:

Glove material: nitrile rubber
Layer thickness: 0.11 mm
Breakthrough time: > 480 Min.

In splash contact:

Glove material: nitrile rubber
Layer thickness: 0.11 mm
Breakthrough time: > 480 Min.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 740 Dermatril® (full contact), 740 Dermatril® (splash contact).

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Industrial hygiene:

Change contaminated clothing. Wash hands after working with substance.

9. Physical and chemical properties

Form: liquid
Colour: pinkish-red
Odour: odourless

pH value $(20 \,^{\circ}\text{C})$ ~ 4

Melting point not available
Boiling point not available

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® Blindwertküvette

Ignition temperature not available
Flash point not available
Explosion limits lower not available
upper not available

Density $(20 \,^{\circ}\text{C})$ 1.00 g/cm³

Solubility in

water (20 °C) soluble

10. Stability and reactivity

Conditions to be avoided

not known to date

Substances to be avoided

The generally known reaction partners of water.

Hazardous decomposition products

not known to date

Further information

none

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

Further toxicological information

Property which must be anticipated on the basis of the chemical/physical data: After eye contact: Slight irritations.

Further data

The product should be handled with the care usual when dealing with chemicals.

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

No ecological problems are to be expected when the product is handled and used with due care and attention.

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® Blindwertküvette

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

14. Transport information

Road & Rail ADR, RID UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code

UN 3316 CHEMICAL KIT, 9, II

Ems F-A S-P

Air CAO, PAX

CHEMICAL KIT, 9, UN 3316, II

The transport regulations are cited according to international regulations and in the form applicable in Germany . Possible national deviations in other countries are not considered. THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK!

15. Regulatory information

Labelling according to EC Directives

Symbol: --R-phrases: --S-phrases: ---

German regulations

Water pollution class nwg (nonpolluting substance) VwVwS Anh. 4

Storage class VCI 10-13

16. Other information

Reason for alteration

Chapter 14: transport information.

General update.

Contact for information:

HSSE-C/CI * Tel: +49 (0)6151/722775 * Fax: +49 (0)6151/726433 * e-mail:prodsafe@merck.de

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® Blindwertküvette

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.



Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue: 21.04.2004 Supersedes edition of 31.10.2000

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO

25 Tests Spectroquant®

Reaktionsküvette

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 (0)6151/72-0 Company:

+49 (0)6151/72112 * Fax: +49 (0)6151/72-7780 Emergency telephone No.:

2. Composition/information on ingredients

CAS-No.: 7664-93-9 EC-Index-No.: 016-020-00-8 EC-No.: M: 98.08 g/mol 231-639-5

Formula Hill: H_2O_4S Chemical formula: H₂SO₄

Hazardous ingredients:

Name according to EC Directives:

EC No. CAS-No. EC-Index-No. Classification Content:

Sulphuric acid

7664-93-9 016-020-00-8 95 - < 97 % 231-639-5 C; R35

(Full text of R-Phrases in heading 16)

3. Hazards identification

Causes severe burns.

4. First aid measures

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Dab with polyethylene glycol 400.

Immediately remove contaminated clothing.

After eye contact: rinse out with plenty of water for at least 10 minutes with the eyelid held wide open. Immediately call in ophtalmologist.

After swallowing: make victim drink plenty of water (if necessary several litres), avoid vomiting (risk of perforation!). Immediately call in physician. Do not attempt to neutralize.

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® Reaktionsküvette

5. Fire-fighting measures

Suitable extinguishing media:

In adaption to materials stored in the immediate neighbourhood.

Special risks:

Non-combustible. Ambient fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides.

Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Other information

Prevent fire-fighting water from entering surface water or groundwater. Contain escaping vapours with water.

6. Accidental release measures

Person-related precautionary measures:

Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

Environmental-protection measures: Do not allow to enter sewerage system.

Procedures for cleaning / absorption:

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595). Forward for disposal. Clean up affected area.

7. Handling and storage

Handling:

No further requirements.

Storage:

Tightly closed. At $+15^{\circ}$ C to $+25^{\circ}$ C.

The data apply to the entire pack.

8. Exposure controls/personal protection

Specific control parameter

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

> Spectroquant® Reaktionsküvette

TRGS 900

Sulfuric acid Name others Kind of use 0.1 mg/m^3 Value

Inhalable fraction. The following regulation applies to the peak limit: short-term exposure

duration: max. 15 minutes as mean value, frequency per shift: 4, time interval: min. 1

hour

Peak limit 1 Concentration must not exceed limit concentration.

Embryotoxic Y Substances with which no foetotoxic risk is to be expected

when observing the maximum allowable concentration (MAC Germany) and the biological tolerance value at the workplace

(BAT Germany).

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection: required when vapours/aerosols are generated.

Eye protection: required

Hand protection: In full contact:

Glove material: viton Laver thickness: 0.70 mm Breakthrough time: > 480 Min.

In splash contact:

Glove material: butyl rubber 0.7 mm Layer thickness: > 120 Min. Breakthrough time:

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 890 Vitoject® (full contact), 898 Butoject® (splash contact). The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended

glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Other protective equipment:

Acid-resistant protective clothing.

Industrial hygiene:

Change contaminated clothing and immerse in water. Apply skin-protective barrier cream. Wash hands and face after working with substance.

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

> **Spectroquant®** Reaktionsküvette

9. Physical and chemical properties

Form: liauid Colour: colourless Odour: odourless

pH value

(25 °C) 0.3 at 49 g/l H₂O

Viscosity dynamic (20 °C) 26.9 mPa*s °C Melting point ~ -15 °C Boiling point ~ 310 Ignition temperature not applicable Flash point not applicable **Explosion limits** lower not applicable upper not applicable Vapour pressure (20 °C) ~ 0.0001

Relative vapour density ~ 3.4

Density (20 °C) 1.84 g/cm³

Solubility in

water (20 °C) soluble (caution! development

of heat)

Thermal decomposition ~ 338 °C

10. Stability and reactivity

Conditions to be avoided

Strong heating.

Substances to be avoided

water, alkali metals, alkali compounds, ammonia, alkaline earth metals, alkalis, acids, alkaline earth compounds, metals, metal alloys, phosphorus oxides, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvents, acetylidene, nitriles, organic nitro compounds, anilines, peroxides, picrates, nitrides, lithium silicide.

Hazardous decomposition products

in the event of fire: See chapter 5.

Further information

hygroscopic; has a corrosive effect;

incompatible with metals, animal/vegetable tissues.

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® Reaktionsküvette

11. Toxicological information

Acute toxicity

 LC_{50} (inhalation, rat): 510 mg/m³ /2 h (calculated on the pure substance).

LD₅₀ (oral, rat): 2140 mg/kg (Using 25 % solution).

Specific symptoms in animal studies:

Eye irritation test (rabbit): burns. Skin irritation test (rabbit): burns.

Toxicologic values are not available due to other dangerous properties of the substance.

Subacute to chronic toxicity

Applicable to partial component(s):

Bacterial mutagenicity: Ames test: negative. No teratogenic effect in animal experiments.

Further toxicological information

Property that must be anticipated on the basis from the components of the preparation:

After inhalation of aerosols:damage to the affected mucous membranes.

After skin contact: severe burns with formation of scabs.

After eye contact: burns, corneal lesions.

After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea.

After a latency period of several weeks possibly pyloric stenosis.

Further data

The product should be handled with the care usual when dealing with chemicals.

12. Ecological information

Biologic degradation:

Methods for the determination of biodegradability are not applicable to inorganic substances.

Behavior in environmental compartments:

Concentration in organisms is not to be expected.

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

The following applies to sulfuric acid: biological effects: harmfull effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC₅₀: 29 mg/l/24 h (calculated on the pure substance).

Do not allow to enter waters, waste water, or soil!

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® Reaktionsküvette

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

14. Transport information

Road & Rail ADR, RID

UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code

UN 3316 CHEMICAL KIT, 9, II

Ems F-A S-P

Air CAO, PAX

CHEMICAL KIT, 9, UN 3316, II

The transport regulations are cited according to international regulations and in the form applicable in Germany . Possible national deviations in other countries are not considered. THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK!

15. Regulatory information

Labelling according to EC Directives

Symbol: C Corrosive

R-phrases: 35 Causes severe burns.

S-phrases: 26-45 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In

case of accident or if you feel unwell, seek medical advice immediately (show the label where

possible).

EC-No.: 231-639-5 EC label

contains: Sulphuric acid

German regulations

Water pollution class 1 (slightly polluting substance) VwVwS Anh. 2 KennNr. 182

Storage class VCI 8 B

Data sheet of the Chemical Professional Association

M004 Irritant substances/corrosive substances

M051 Dangerous chemical substances

The employment restrictions for young workers in accordance with section 22 of the Youth Employment Protection Law (JArbSchG) are to be observed.

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® Reaktionsküvette

16. Other information

Text of any R phrases referred to under heading 2:

35 Causes severe burns.

Reduced labelling on the container due to small quantity.

Reason for alteration

Chapter 14: transport information.

General update.

Contact for information:

HSSE-C/CI * Tel: +49 (0)6151/722775 * Fax: +49 (0)6151/726433 * e-mail:prodsafe@merck.de

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.



Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue: 21.04.2004 Supersedes edition of 31.10.2000

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO

25 Tests Spectroquant®

HCHO-1K

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company: Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 (0)6151/72-0

Emergency telephone No.: +49 (0)6151/72112 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

CAS-No.: 5808-22-0

M: 400.30 g/mol EC-No.: 204-972-9

Formula Hill: $C_{10}H_6Na_2O_8S_2*2H_2O$

3. Hazards identification

No hazardous product as specified in Directive 67/548/EEC.

4. First aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing. After eye contact: rinse out with plenty of water with the eyelid held wide open.

After swallowing: make victim drink plenty of water. Consult doctor if feeling unwell.

5. Fire-fighting measures

Suitable extinguishing media:

powder, foam, water.

Special risks:

Combustible. Development of hazardous combustion gases or vapours possible in the event of fire. The following may develop in event of fire: sulfur oxides.

Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus.

Other information:

Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® HCHO-1K

6. Accidental release measures

Person-related precautionary measures:

Avoid generation of dusts; do not inhale dusts.

Person-related precautionary measures:

Do not allow to enter sewerage system.

Procedures for cleaning / absorption:

Take up dry. Forward for disposal. Clean up affected area.

7. Handling and storage

Handling:

Protect from light.

No further requirements.

Storage:

Tightly closed. Dry. At $+15^{\circ}$ C to $+25^{\circ}$ C.

The data apply to the entire pack.

8. Exposure controls/personal protection

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection: required when dusts are generated.

Eye protection: required

Hand protection: In full contact:

Glove material: nitrile rubber Layer thickness: 0.11 mm Breakthrough time: > 480 Min.

In splash contact:

Glove material: nitrile rubber
Layer thickness: 0.11 mm
Breakthrough time: > 480 Min.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 740 Dermatril® (full contact), 740 Dermatril® (splash contact). The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® HCHO-1K

Industrial hygiene:

Change contaminated clothing. Wash hands after working with substance.

9. Physical and chemical properties

Form: solid

Colour: white to grey
Odour: almost odourless

pH value

at $10 \text{ g/l H}_2\text{O}$ (20 °C) ~ 3.6

Melting point > 300 °C
Boiling point not available
Ignition temperature not available
Flash point not available
Explosion limits lower not available
upper not available

sper not available

Density not available Bulk density $\sim 780 \text{ kg/m}^3$

Solubility in

water $(20 \,^{\circ}\text{C})$ 170 g/l

10. Stability and reactivity

Conditions to be avoided

Heating.

Substances to be avoided

strong oxidizing agents, acid anhydrides, acid halides.

Hazardous decomposition products

in the event of fire: See chapter 5.

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

Further toxicological information

Possible symptoms:

After skin contact: Slight irritations. After eye contact: Slight irritations.

Further data

The product should be handled with the care usual when dealing with chemicals.

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® HCHO-1K

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

Do not allow to enter waters, waste water, or soil!

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

14. Transport information

Road & Rail ADR, RID

UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code

UN 3316 CHEMICAL KIT, 9, II

Ems F-A S-P

Air CAO, PAX

CHEMICAL KIT, 9, UN 3316, II

The transport regulations are cited according to international regulations and in the form applicable in Germany . Possible national deviations in other countries are not considered. THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK!

15. Regulatory information

Labelling according to EC Directives

Symbol: --R-phrases: --S-phrases: ---

German regulations

Water pollution class 3 (highly polluting substance) VwVwS Anh. 3

Storage class VCI 10-13

16. Other information

According to EC Directive 91/155/EEC

Catalogue No.: 114500

Product name: Formaldehyde Cell Test Method: photometric 0.10 - 8.00 mg/l HCHO 25 Tests

Spectroquant® HCHO-1K

Reason for alteration

Chapter 14: transport information.

General update.

Contact for information:

HSSE-C/CI * Tel: +49 (0)6151/722775 * Fax: +49 (0)6151/726433 * e-mail:prodsafe@merck.de

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.