

Page 1/5

# Material Safety Data Sheet

According to 91/155 EEC

Reviewed on 01.02.2005

🗙 Xn; R 22-36 2.5-5%

### **1 Identification of substance:**

· Product details: Reagent for water analysis

### · Product name: NH4-2 TC (LR) Reagent LR Set (NH3-N Diluent LR 0-2.5 mg/l; ppm)

· Catalog number: 251 997 Model: NH4-2 TC (LR)

 • Supplier:

 WTW Wissenschaftlich-Technische Werkstätten GmbH

 Dr.-Karl-Slevogt-Str. 1

 D-82362 Weilheim

 Fax: +49(0)881 183-420

 Tel.: +49(0)881 183-100

Internet: http://www.WTW.com E-Mail: Info@WTW.com

#### · Emergency information:

Poison Center Berlin, Germany Tel.: +49(0)30 19240

## 2 Composition/Data on components:

• Description: Mixture of the substances listed below with harmless additions.

#### · Dangerous components:

CAS: 54-21-7 sodium salicylate EINECS: 200-198-0

• Additional information For the wording of the listed risk phrases refer to section 16.

## **3 Hazards identification**

- · Hazard designation: void
- · Information pertaining to particular dangers for man and environment
- The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

#### · Classification system

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

### 4 First aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact The product is not skin irritating.
- · After eye contact

Rinse opened eye for several minutes under running water. Seek medical treatment.

- · After swallowing
- Drink copious amounts of water, induce vomiting. In case of persistent symptoms consult doctor.
- The following symptoms may occur:
- after swallowing:
- sickness diarrhoea

Reviewed on 01.02.2005

Product name: NH4-2 TC (LR) Reagent LR Set

### (NH3-N Diluent LR 0-2.5 mg/l; ppm)

(Contd. of page 1)

Dizziness headache vomiting

## **5** Fire fighting measures

#### · Suitable extinguishing agents

- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- $\cdot$  Special hazards caused by the material, its products of combustion or resulting gases:
- Formation of toxic gases is possible during heating or in case of fire.
- · Protective equipment: Wear self-contained breathing apparatus.

#### · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter drains.

### **6** Accidental release measures

· Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

· Measures for environmental protection:

Do not allow product to reach sewage system or water bodies.

Dilute with much water.

- · Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, universal binders).
- Additional information: No dangerous materials are released.

### 7 Handling and storage

### · Handling

- · Information for safe handling: No special measures required.
- · Information about protection against explosions and fires:

Protect from heat.

- The product is not flammable
- · Storage
- Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store under dry conditions.
- Storage class Not required.

### 8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the compilation were used as basis.

### · Personal protective equipment

- · General protective and hygienic measures
- The usual precautionary measures should be adhered to general rules for handling chemicals.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- Protection of hands: Preventive skin protection by use of skin-protecting agents is recommended.
- Material of gloves
- nitrile rubber, NBR
- Recommended thickness of the material:  $\geq 0.11 \text{ mm}$
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Reviewed on 01.02.2005

<b>Product name</b>	: NH4-2	TC	(LR)	<b>Reagent LR Set</b>
---------------------	---------	----	------	-----------------------

### (NH3-N Diluent LR 0-2.5 mg/l; ppm)

(Contd. of page 2)

Value for the permeation: Level  $\geq 6$  (480 min)

· Eye protection: Safety glasses

• Body protection: Protective work clothing.

9 Physical and chemical p	roperties:
· Form:	Fluid
· Colour: · Odour:	Colourless Odourless
<ul> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Not applicable 100°C
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive.
· Vapour pressure at 20°C:	23 hPa
· Density at 20°C	1 g/cm <sup>3</sup>
· Solubility in / Miscibility with Water:	Fully miscible
· pH-value at 20°C:	10.4
· Solvent content: Organic solvents: Water:	0.0 % < 97 %
· Solids content:	> 3 %

## **10 Stability and reactivity**

• Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

- · Dangerous reactions No dangerous reactions known
- Dangerous products of decomposition: see chapter 5

## **11** Toxicological information

• Acute toxicity: Quantitative data on the toxicity of the preparation are not available.

· LD/LC50 values that are relevant for classification:

54-21-7 sodium salicylate

Oral LD50 930 mg/kg (rat)

LDLo 700 mg/kg (human)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritant effect.

• Sensitization: No sensitizing effect known.

· Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Reviewed on 01.02.2005

Product name: NH4-2 TC (LR) Reagent LR Set

### (NH3-N Diluent LR 0-2.5 mg/l; ppm)

(Contd. of page 3)

The usual precautionary measures should be adhered to general rules for handling chemicals.

### **12 Ecological information:**

· Information about elimination (persistence and degradability):

• Other information: Quantitative data on the ecological effect of this product are not available.

· Behaviour in environmental systems:

54-21-7 sodium salicylate

log P(o/w) -1.43 (.)

· Ecotoxical effects:

· Acquatic toxicity:

54-21-7 sodium salicylate

Daphnia EC50 230 mg/l/24h (Daphnia magna)

LC50 90 mg/l/48h (Leuciscus idus)

· General notes: Generally not hazardous for water.

## **13 Disposal considerations**

· Product:

· Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

· Uncleaned packagings:

- $\cdot$  **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

### 14 Transport information

· Land transport ADR/RID (cross-border) · ADR/RID-GGVS/E Class: -

· Maritime transport IMDG:

· IMDG Class:

<sup>.</sup> Marine pollutant:

• Air transport ICAO-TI and IATA-DGR:

· ICAO/IATA Class:

• Transport/Additional information: Not dangerous according to the above specifications.

## **15 Regulatory information**

· Designation according to EC guidelines:

Observe the normal safety regulations when handling chemicals

No

The product is not subject to identification regulations under EC Directives and the Ordinance on Hazardous Materials (GefStoffV).

### • Special designation of certain preparations:

Safety data sheet available for professional user on request.

Reviewed on 01.02.2005

### (NH3-N Diluent LR 0-2.5 mg/l; ppm)

(Contd. of page 4)

GB

· National regulations

 $\cdot$  Water hazard class: Generally not hazardous for water.

## **16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant R-phrases** 22 Harmful if swallowed. 36 Irritating to eyes.

· Department issuing data specification sheet: Department TSS, Dr. Manfred Kaul

· Data compared to the previous version altered.

Page 1/7

# Material Safety Data Sheet

According to 91/155 EEC

Reviewed on 04.02.2005

Catalog number: 251 997	Model: NH4-2 TC (LR)	
Product name: <u>NH4-2 TC (L</u>	R) Reagent LR Set	(Vario Ammonia Cyanurate F5)
Supplier:		
WTW Wissenschaftlich-Techr	nische Werkstätten GmbH	
DrKarl-Slevogt-Straße 1		
	Tel.: +49(0)881 183-0	Internet: http://www.WTW.com

### · Emergency information:

Poison Center Berlin, Germany Tel.: +49(0)30 19240

## 2 Composition/Data on components:

· Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:				
CAS: 1310-65-2	lithium hydroxide	C; R 22-35	5-10%	
EINECS: 215-183-4				
CAS: 51580-86-0	sodium dichloroisocyanurate, dihydrate	Xn, ¥ N; R 22-31-36/37-50/53	≤ 2.5%	
EINECS: 220-767-7				
EC Number: 613-030-01-7				
• Additional information For the wording of the listed risk phrases refer to section 16				

Additional information For the wording of the listed risk phrases refer to section 16.

## **3 Hazards identification**

#### · Hazard designation:



C Corrosive

· Information pertaining to particular dangers for man and environment

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 34 Causes burns.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### **Classification system**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

### 4 First aid measures

· General information Instantly remove any clothing soiled by the product.

### · After inhalation

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness bring patient into stable side position for transport.

Reviewed on 04.02.2005

Product name: NH4-2 TC (LR) Reagent LR Set

(Contd. of page 1)

· After skin contact Instantly wash with polyethylene glycol 400. Instantly rinse with water. Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing. · After eve contact Rinse opened eye for several minutes under running water. Call a doctor immediately. · After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor. · The following symptoms may occur: after inhalation: damage to the affected mucous membranes coughing breathing difficulty after swallowing: Strong caustic effect. headache cramps vomiting pain · Danger Danger of gastric perforation. Danger of impaired breathing. · Treatment If swallowed or in case of vomiting, danger of entering the lungs Subsequent observation for pneumonia and pulmonary oedema

## **5** Fire fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

 $\cdot$  Special hazards caused by the material, its products of combustion or resulting gases:

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx)

Hydrogen chloride (HCl)

• Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

## 6 Accidental release measures

· Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

 $\cdot$  Measures for environmental protection:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

• **Measures for cleaning/collecting:** neutralize with diluted sulphuric acid Absorb with liquid-binding material (sand, diatomite, universal binders). Ensure adequate ventilation.

(Contd. on page 3)

GB

Reviewed on 04.02.2005

Product name: NH4-2 TC (LR) Reagent LR Set

(Contd. of page 2)

### 7 Handling and storage

- · Handling
- · Information for safe handling:
- Prevent formation of dust.
- Keep containers tightly sealed.

Keep away from heat and direct sunlight.

- Thorough dedusting.
- · Information about protection against explosions and fires: Protect from heat.
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:
- Do not store together with acids.
- Store away from oxidizing agents.
- · Further information about storage conditions:
- Keep container tightly sealed.
- Store under dry conditions.
- Protect from humidity and keep away from water.
- Storage class Not required.

### 8 Exposure controls and personal protection

· Additional information about design of technical systems: No further data; see item 7.

#### · Components with limit values that require monitoring at the workplace:

1310-65-2 lithium hydroxide (5-10%)

OES Short-term value: 1 mg/m<sup>3</sup>

ILV

#### 51580-86-0 sodium dichloroisocyanurate, dihydrate (≤ 2.5%)

MEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO

• Additional information: The lists that were valid during the compilation were used as basis.

#### · Personal protective equipment

- · General protective and hygienic measures
- Keep away from foodstuffs, beverages and food.
- Take off immediately all contaminated clothing
- Wash hands during breaks and at the end of the work.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

- Recommended filter device for short term use: Filter P2
- · Protection of hands:
- Alkaline resistant gloves

Only use chemical-protective gloves with CE-labelling of category III.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves

Nitrile

Recommended thickness of the material:  $\geq 0.11$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Value for the permeation: Level  $\geq 6$  (480 min)
- Eye protection: Tightly sealed safety glasses.

Reviewed on 04.02.2005

Product name: NH4-2 TC (LR) Reagent LR Set

(Vario Ammonia Cyanurate F5)

(Contd. of page 3)

· Body protection: Alkaline resistant protective clothing

9 Physical and chemical pi	roperties:
· Form: · Colour: · Odour:	Powder White Pungent
<ul> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	150°C Not applicable
<ul> <li>Flash point:</li> <li>Ignition temperature:</li> </ul>	Not applicable 250.0°C
· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive.
· Density	Not determined
• Solubility in / Miscibility with Water at 25°C:	425 g/l
· pH-value (32 g/l) at 20°C:	12.7
· Solvent content: Organic solvents:	0.0 %
· Solids content:	100.0 %

## **10 Stability and reactivity**

· Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

 $\cdot$  Materials to be avoided:

oxidizing agents

acids

· Dangerous reactions

--> forms heat

Corrosive action on metals

Corrodes aluminium Reacts with metals forming hydrogen

---> Explosive

· Dangerous products of decomposition:

Chlorine compounds

see chapter 5

## **11** Toxicological information

• Acute toxicity: Quantitative data on the toxicity of the preparation are not available.

· LD/LC50 values that are relevant for classification:			
6132-04	6132-04-3 Sodium citrate tribasic dihydrate		
	LD50 IVN	449 mg/kg (rabbit)	
1310-65	1310-65-2 lithium hydroxide		
Oral	LD50	210 mg/kg (rat)	
51580-8	51580-86-0 sodium dichloroisocyanurate, dihydrate		
Oral	LD50	1400 mg/kg (rat)	
Dermal	LD50	> 5000 mg/kg (rabbit)	

Reviewed on 04.02.2005

Product name: NH4-2 TC (LR) RReagent LR Set (Vario Ammonia Cyanurate F5)

(Contd. of page 4)

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effect known.
- · Experience with humans:
- Can cause liver damages.
- Can cause kidney damages.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

## <sup>\*</sup>12 Ecological information:

- · Information about elimination (persistence and degradability):
- Other information: Quantitative data on the ecological effect of this product are not available.
- · Ecotoxical effects:

#### · Remark:

- Forms corrosive mixtures with water even if diluted.
- Harmful to aquatic organisms
- Harmful to fish
- · Additional ecological information:

The following applies to lithium compounds in general:

MERCK - biological effects:

fish toxic from 100 mg/l up

Daphnia toxic from 16 mg/ up

plants toxic from 0.2 mg/l up (value calculated as Li)

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms.

### **13 Disposal considerations**

· Product:

· Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 05 06 laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

## **14 Transport information**

· ADR/GGVSE: UN 3316 CHEMIE-TESTSATZ, 9, II

Reviewed on 04.02.2005

Product name: NH4-2 TC (LR) Reagent LR Set (Vario Ammonia Cyanurate F5)

		(Contd. of page 5)
IMDG/GGVSee: • EMS-Number:	UN 3316 CHEMICAL KIT, 9, II F-A S-P	
· ICAO/IATA:	CHEMICAL KIT, 9, UN 3316, II	

## **15 Regulatory information**

· Designation according to EC guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

- Code letter and hazard designation of product: C Corrosive
- **Hazard-determining components of labelling:** lithium hydroxide
- · Risk phrases:
- 34 Causes burns.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### · Safety phrases:

- 20 When using do not eat or drink.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- 60 This material and its container must be disposed of as hazardous waste.
- 61 Avoid release to the environment. Refer to special instructions/safety data sheets.

## **16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant R-phrases

22 Harmful if swallowed.

Reviewed on 04.02.2005

Product name: NH4-2 TC (LR) Reagent LR Set (Vario Ammonia Cyanurate F5)

(Contd. of page 6)

GB

31 Contact with acids liberates toxic gas.

35 Causes severe burns.

36/37 Irritating to eyes and respiratory system.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

• Department issuing data specification sheet: Department TSS, Dr. Manfred Kaul • Data compared to the previous version altered.



Page 1/6

# Material Safety Data Sheet

According to 91/155 EEC

Reviewed on 04.02.2005

## **1 Identification of substance:**

- · Product details: Reagent for water analysis
- · Product name: <u>NH4-2 TC (LR) Reagent LR</u> Set (Vario Ammonia Salicylate F5)
- · Catalog number: 251 997 Model: NH4-2 TC (LR)

 Supplier:

 WTW Wissenschaftlich-Technische Werkstätten GmbH

 Dr.-Karl-Slevogt-Straße 1

 D-82362 Weilheim

 Fax: +49(0)881 183-420

 Tel.: +49(0)881 183-100

Internet: http://www.WTW.com E-Mail: Info@WTW.com

#### · Emergency information:

Poison Center Berlin, Germany Tel.: +49(0)30 19240

## 2 Composition/Data on components:

• Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:			
CAS: 54-21-7	sodium salicylate	🗙 Xn; R 22-36	45-50%
EINECS: 200-198-0			
CAS: 13755-38-9	sodium nitroprusside dihydrate	🙀 T; R 25	≤ 2.5%
EINECS: 238-373-9			
. Additional informat	ion For the wording of the listed risk phrases refer to section 16		

Additional information For the wording of the listed risk phrases refer to section 16.

### **3 Hazards identification**

### · Hazard designation:



Xn Harmful

· Information pertaining to particular dangers for man and environment

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 22 Harmful if swallowed.

- R 36 Irritating to eyes.
- **Classification system**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

## 4 First aid measures

## · General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation Supply fresh air and call for doctor for safety reasons.

#### Page 2/6

## Material Safety Data Sheet According to 91/155 EEC

Reviewed on 04.02.2005

	(Couth of your 1
After skin contact Instantly wash with water and soap and rinse thoroughly.	(Contd. of page 1
After eye contact	
Rinse opened eye for several minutes under running water.	
Call a doctor immediately.	
After swallowing	
Drink copious amounts of water and provide fresh air. Instantly call for doctor.	
Induce vomiting.	
The following symptoms may occur:	
after swallowing:	
Fever	
breathing difficulty	
Disorientation	
headache	
sickness	
diarrhoea	
Dizziness	
gastric pain	
vomiting	
after inhalation:	
coughing	
mucous membrane irritation	
Danger Danger of system failure.	

### **5** Fire fighting measures

#### · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

 $\cdot$  Special hazards caused by the material, its products of combustion or resulting gases:

Formation of toxic gases is possible during heating or in case of fire.

cyanide compounds, sodium monoxide

# nitrous gases • **Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

### 6 Accidental release measures

· Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away. Avoid causing dust.

• Measures for environmental protection: Do not allow product to reach sewage system or water bodies.

· Measures for cleaning/collecting:

Collect mechanically.

Ensure adequate ventilation.

Dispose of contaminated material as waste according to item 13.

## 7 Handling and storage

#### · Handling

#### · Information for safe handling:

Thorough dedusting.

Any deposit of dust which cannot be avoided must be removed regularly.

Reviewed on 04.02.2005

(Contd. of page 2)

Product name: NH4-2 TC (LR) Reagent LR Set

#### (Vario Ammonia Salicylate F5)

· Information about protection against explosions and fires: Protect from heat.

· Storage

· Requirements to be met by storerooms and containers: Store in cool location.

· Information about storage in one common storage facility: store away fom solvents

· Further information about storage conditions:

Keep container tightly sealed.

Store under dry conditions.

Protect from humidity and keep away from water.

• Storage class Not required.

### 8 Exposure controls and personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Additional information: The lists that were valid during the compilation were used as basis.

#### · Personal protective equipment

· General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

• Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.

### • Recommended filter device for short term use: Filter P2

· Protection of hands:

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

### Material of gloves

Nitrile

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material:  $\geq 0.11 \text{ mm}$ 

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Value for the permeation: Level  $\ge 6$  (480 min)

• Eve protection: Tightly sealed safety glasses.

• **Body protection:** Light weight protective clothing

9 Physical and chemical properties:		
· Form: · Colour: · Odour:	Powder Whitish Odourless	
<ul> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>		
· Flash point: · Ignition temperature:	Not applicable ~250°C	
	(Contd. on page	

Reviewed on 04.02.2005

Product name: NH4-2 TC (LR) Reagent LR Set

(Vario Ammonia Salicylate F5)

(Contd.	of nage	3)
(Conta.	or page	- 27

· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive.
· Density at 20°C	1.247 g/cm <sup>3</sup>
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	<b>h</b> Soluble
· pH-value (50 g/l) at 20°C:	8.1
· Solvent content: Organic solvents:	0.0 %
· Solids content:	100.0 %

## **10 Stability and reactivity**

· Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

- · Materials to be avoided:
- oxidizing agents
- alkali metals
- acids
- $\cdot$  Dangerous reactions Contact with acids releases toxic gases
- · Dangerous products of decomposition: see chapter 5

## <sup>11</sup> Toxicological information

• Acute toxicity: Quantitative data on the toxicity of the preparation are not available.

· LD/LC50 values that are relevant for classification:			
54-21-7 sodium salicylate			
		930 mg/kg (rat)	
	LDLo	700 mg/kg (human)	
13755-38-9 sodium nitroprusside dihydrate			
		99 mg/kg (rat)	
	LDLo	20 mg/kg (rat)	

#### · Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritant effect.

· Sensitization: No sensitizing effect known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

The following complies to cyanogen compounds / nitriles in general:

Utmost caution! Release of hydrocyanic acid is possible - blockade of cellular respiration.

The following applies to soluble iron compounds: nausea and vomiting after swallowing. The absorption of large quantities is followed by cardiovascular disorders. Toxic effect on liver and kidneys.

## <sup>12</sup> Ecological information:

· Information about elimination (persistence and degradability):

• Other information: Quantitative data on the ecological effect of this product are not available.

Reviewed on 04.02.2005

Product name: NH4-2 TC (LR) Reagent LR Set

### (Vario Ammonia Salicylate F5)

(Contd. of page 4)

· Behaviour in environmental systems:			
54-21-7 sodium salicylate			
log P(o/w) -1.43 (.)			
· Ecotoxical effects:			
· Acquatic toxicity:			
54-21-7 sodium salicylate			
Daphnia EC50	230 mg/l/24h (Daphnia magna)		
LC50	90 mg/l/48h (Leuciscus idus)		
13755-38-9 sodium nitroprusside dihydrate			
Daphnia EC50	1.0 mg/l/24h (Daphnia magna)		
LC50	0.08 mg/l (fish)		
· Remark:			
Toxic for fish:			

CAS 13755-38-9 (Fe): > 0,9 mg/l / pH 6,5-7,5

MERCK: the following applies to dissolved iron compounds in general:

fish: toxic as from 0.9 mg/l at pH 6.5 - 7.5

lethal as from 1 mg/l at ph 5.5 - 6.7

#### General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system.

## **13 Disposal considerations**

· Product:

• Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

### · European waste catalogue

16 05 06 laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

## **14 Transport information**

· Land transport ADR/I · ADR/RID-GGVS/E CI				
• Maritime transport IMDG:				
· IMDG Class:	-			
· Marine pollutant:	No			

• Air transport ICAO-TI and IATA-DGR: • ICAO/IATA Class:

• Transport/Additional information: Not dangerous according to the above specifications.

## **15 Regulatory information**

### · Designation according to EC guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

#### • Code letter and hazard designation of product: Xn Harmful

(Contd. on page 6)

Reviewed on 04.02.2005

Product name: NH4-2 TC (LR) Reagent LR Set

(Vario Ammonia Salicylate F5)

(Contd. of page 5)

GB –

- Hazard-determining components of labelling: sodium salicylate
- · Risk phrases:

22 Harmful if swallowed.36 Irritating to eyes.

### · Safety phrases:

22 Do not breathe dust.

24 Avoid contact with skin.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36 Wear suitable protective clothing.

46 If swallowed, seek medical advice immediately and show this container or label.

60 This material and its container must be disposed of as hazardous waste.

### **16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant R-phrases

22 Harmful if swallowed.

25 Toxic if swallowed.

36 Irritating to eyes.

· Department issuing data specification sheet: Department TSS, Dr. Manfred Kaul

· Data compared to the previous version altered.