Optimal protection when collection liquid wastes

What does disposal of waste fluids look like?

Even laboratories often have archaic conditions for this. Open canisters and funnels, often without collecting tray – in the rarest cases, positioned under the exhaust – this is what the tragic reality looks like. But now there are closure systems corresponding to nearly all current waste containers, so retrofitting is easy to carry out without sacrificing flexibility.

Conclusion

Those who want to get their waste disposal under control and to create ideal conditions need a coherent concept. And S.C.A.T. Europe can provide this. More protection for humans and the environment: Our safety funnels are a one-time investment for many years of health and safety.

Together with our users, we have further optimized the S.C.A.T. safety funnels. The new design is optimized for areas with low ceilings. The PE-HD funnels are suitable for all types of chemicals. The funnels in black are electrostatic conductive as well and are delivered with a ground cable and clamp.

Funnels with integrated ball valve make sure that the containers remain securely closed after filling. The screw cap rotates freely, making it easier to unscrew the funnel.

A video says more than a thousand words

Many labs suffer from messy conditions when it comes to solvent and waste handling. The S.C.A.T. Europe team unveils the mistakes of the past and shows how to do it right.







- » Made of high quality PE-HD
- » Removable sieve
- » Various thread sizes
- » Adapters for barrels available
- > Low design also fits beneath low work surfaces
- » Available as electrostatic conductive
- » New design
- » Improved handling
- » Optimized application possibilities
- **»** World-wide unique

or directly visit: scat-europe.com/video

 $(\mathbf{s} \cdot \mathbf{c} \cdot \mathbf{A} \cdot \mathbf{T})$

Distributed by:



Tallaght Business Park Whitestown, Dublin 24, Ireland D24 RFK3

Tel: (01) 4523432 Fax: (01) 4523967 E-mail: info@labunlimited.co Web: www.labunlimited.com Quatro House, Frimley Road, Camberley, United Kingdom GU16 7ER

Tel: 08452 30 40 30 Fax: 08452 30 50 30

E-mail: info@labunlimited.com E-mail: info@labunlimited.co.uk
Web: www.labunlimited.co.uk
Web: www.labunlimited.co.uk

Functionality







Safe and clean dsiposal with S.C.A.T. safety funnels



Safety funnels with ball valve

- » The ball floats and automatically closes after filling
- » Quick and safe disposal with both hands free
- » Splash protection and sieve to catch dirt and larger contaminant particles

S.C.A.T. Europe safety funnels with ball valve and splash protection are world-wide unique and have become an efficient standard at the safe disposal of waste in laboratory and production. (Funnels with ball valve you will find on page 67).



Sieve, removable

For trapping stirrers or larger contaminant particles. Now made of PE-HD instead of stainless steel, so no corrosion by acids or lyes.

Splash protection

For uniform discharge without splashes.

Ball valve

The ball floats and automatically closes after filling. For the disposal of small quantities and sticky liquid waste into the container, we recommend to rinse enough with water after using the funnel with ball valve, to prevent a potential sticking or stucking of the ball valve.

Freely rotatable cap

In different thread sizes for a wide variety of containers. You will find suitable canisters starting from Page 87.

Safety lance

Ensures clean outflow without contaminating the container opening. With electrically conductive funnels (black), the lance facilitates a safe additional grounding of the contents.



Safety funnels with hinged lid

- » Compact version optimally suited for restricted space conditions in the laboratory
- » Properly closed thanks to the hinged lid
- » Removable sieve for easy clean-up

This compact version with hinged lid is optimally suited for restricted space conditions in the laboratory. The sieve can be removed for cleaning. (Funnels with hinged lid start from page 69).

» Angled adapter for canisters. Just place your laboratory bottles on the funnel-sieve and let them drip of easily.

Page 114






Hinged lid

For clean closure.



Electrostatic conductive PE-HD

All safety funnels in black (with ball valve or hinged lid) are made from electrostatic conductive PE-HD and have a ground connection to prevent ignition risks. The funnels are delivered with ground cable and clamp.







Safety funnels with ball valve



Safety funnels with ball valve











Scope of delivery

Incl. sieve and splash protection. Funnels in black are made from electrostatic conductive PE-HD and additionally equipped with grounding cable and clamp. These essential components can also be ordered individually (please see table below).

| Type/Fig. | Part No. | Thread size | Description | Material |
|------------|----------|------------------------------------|-------------------------|---|
| A | 117 629 | S 50 | Safety funnel | PE-HD electrostatic conductive (black) |
| A | 117 624 | S 51 | Safety funnel | PE-HD electrostatic conductive (black) |
| A | 117 625 | S 55 | Safety funnel | PE-HD electrostatic conductive (black) |
| A | 117 621 | S 60/61 | Safety funnel | PE-HD electrostatic conductive (black) |
| A | 117 626 | S 65 | Safety funnel | PE-HD electrostatic conductive (black) |
| A | 117 623 | S 90 | Safety funnel | PE-HD electrostatic conductive (black) |
| В | 117 642 | GL 45 | Safety funnel | PE-HD (white) |
| B | 117 649 | S 50 | Safety funnel | PE-HD (white) |
| В | 117 644 | S 51 | Safety funnel | PE-HD (white) |
| В | 117 645 | S 55 | Safety funnel | PE-HD (white) |
| В | 117 641 | S 60/61 | Safety funnel | PE-HD (white) |
| В | 117 643 | S 90 | Safety funnel | PE-HD (white) |
| G | 117 630 | R 2" BSP/G2" (m) + 2" Tri-Sure (m) | Safety funnel | PE-HD electrostatic conductive (black) |
| D | 117 620 | - | Sieve | PE-HD electrostatic conductive (black) |
| 3 | 117 640 | - | Sieve | PE-HD (white) |
| 3 | 117 631 | - | Splash protection | PE-HD electrostatic conductive (black) |
| G | 117 639 | - | Splash protection | PE-HD (white) |
| (1) | 117 982 | - | Ground cable with clamp | Copper cable (yellow with green coding) |

with hinged lid





Scope of delivery

Incl. hinged lid and sieve. Funnels in black are made from electrostatic conductive PE-HD and additionally equipped with grounding cable and clamp. These essential components can also be ordered individually (please see table below).

| Thread size | Type A PE-HD-ec (black) Safety lance Ground connection | Type B PE-HD (white) Safety lance | Type G PE-HD-ec (black) Ground connection | Type D PE-HD (white) |
|-------------|--|--|--|--------------------------------|
| GL 45 | - | 118 992 | 118 962 | 118 952 |
| S 50 | 118 985 | 118 995 | - | 118 955 |
| S 51 | 118 983 | 118 993 | = | 118 953 |
| S 55 | 118 981 | 118 991 | 118 961 | 118 951 |
| S 60/61 | 118 980 | 118 990 | 118 960 | 118 950 |
| \$ 65 | 118 984 | 118 994 | 118 964 | 118 954 |

| Fig. | Part No. | Description | Material |
|----------|----------|---------------------------------|---|
| 3 | 118 989 | Sieve for safety funnel (black) | PE-HD electrostatic conductive (black) |
| • | 118 999 | Sieve for safety funnel (white) | PE-HD (white) |
| G | 117 982 | Ground cable with clamp | Copper cable (yellow with green coding) |



Safety funnels with hinged lid












| | Fi.e. | Part No. | Thread size | Description | Material |
|--|-------|----------|---|---|--|
| | Fig. | Part No. | Tifredu Size | Description | Material |
| | | 117 633 | GL 45 | XL safety funnel with click-closure | PE-HD electrostatic conductive (black) |
| | - | 117 634 | S 60/61 | XL safety funnel with click-closure | PE-HD electrostatic conductive (black) |
| | 0 | 118 630 | Doppelgewinde R 2" BSP/G2" + 2" Tri-Sure | Safety funnel with hinged lid | PE-HD electrostatic conductive (black) |
| | | 160 555 | - | Ventilation adapter for XL safety funnels | PE-HD electrostatic conductive (black) |
| | K | 108 670 | Doppelgewinde R 2" BSP/G2" + 2" Tri-Sure | Safety funnel with hinged lid Sieve made from stainless steel | PE-HD (red) |
| | - | 108 670 | S 60/61 | Safety funnel with hinged lid Sieve made from stainless steel | PE-HD (red) |
| | • | 107 970 | S 60/61 | Safety funnel with hinged lid Safety lance made from stainless steel | Stainless steel |

Disposal units

Popular combinations!

In order to get your waste fluid collection site ready for operation quickly, we have put the most popular combinations together in a complete set.

- >> Only one part number for the comprehensive safety system
- >> No time consuming compilation of a configuration
- >> Price advantage compared to ordering piece by piece
- >> The delivery is made complete the system is immediately ready for use






Electrostatic conductive PE-HD

All of our safety funnels in black (with ball valve or hinged lid), also canisters and collecting trays in black are made of electrostatic conductive PE-HD. Our disposal units perfectly protect from ignition risks.



Safety funnels Disposal units





| Fig. | Part No. SET | Funnel | Container | Dimensions W x H x D (mm) |
|------|--------------|--|---|------------------------------|
| A | 107 416 | 118 960 - Hinged lid - Sieve - PE-HD, electrostatic conductive - Ground cable | 108 042 10 liter PE-HD, electrostatic conductive Floater for level control with collecting tray 117 985 | 445 x 405 x 350 |
| - | 107 315 | 118 960 - Hinged lid - Sieve - PE-HD, electrostatic conductive - Ground cable | 107 953 - 10 liter - PE-HD, electrostatic conductive - with collecting tray 117 985 | 445 x 405 x 350 |
| В | 107 320 | 117 621 - Ball valve - PE-HD, electrostatic conductive - Splash protection - Sieve - Ground cable | 108 042 - 10 liter - PE-HD, electrostatic conductive - Floater for level control | 210 x 460 x 430 |
| G | 107 321 | 117 621 - Ball valve - PE-HD, electrostatic conductive - Splash protection - Sieve - Ground cable | 108 043 - 20 liter - PE-HD, electrostatic conductive - Floater for level control | 210 x 710 x 430 |